



- S1210 - 1.21x1.21 m
- S1700 - 1.70x1.70 m

Torre/Reazioni – Masts/Reactions – Mat/Réactions – Maste/Eckdrücke – Mästil/Reacciones – Tramo/Reacções


S1210

 15 m → 42.5 m




H (m)
42
39
36
33
30
27
24
21
18
15
12
9
6
3

H=37-42 m		H=24-36 m		H=0-23 m	
R1		R1	53 t	R1	49 t
R2	69 t	R2	53 t	R2	47 t
R3	40 t	R3	25.6 t	R3	22 t
M	185 tm	M	116 tm	M	80 tm




Peso zavorra – Ballast weight – Poids du lest – Ballastgewicht – Peso de lastre



H	n°	Tot.
0-18 m	12 A-B	36000 kg
19-36 m	18 A-B	54000 kg
37-42 m	24 B	72000 kg


	A	B
L	3.6m	4.0m
k	0.3m	1.2m
d	1.15m	0.19m




Torre/Reazioni – Masts/Reactions – Mat/Réactions – Maste/Eckdrücke – Mástil/Reacciones – Tramo/Reacções

S1700


15 m → 42.5 m




H=46-58 m		H=36-45 m		H=0-35 m	
R1	106 t	R1	72 t	R1	65 t
R2	106 t	R2	72 t	R2	65 t
R3	95 t	R3	61 t	R3	54 t
M	336 tm	M	194 tm	M	156 tm



Peso zavorra – Ballast weight – Poids du lest – Ballastgewicht – Peso de lastre















H	n°	Tot.
0-35 m	2C+ 18D	60800 kg
36-45 m	2C+ 22D	72000 kg
46-58 m	2C+ 32D	105000 kg















Curve di carico – Courbes de charges – Load diagrams – LastKurven – Curvas de cargas

Pmax 2500 kg

	9600 kg		40/42.5 m	2	25.5	27.5	30	32.5	35	37.5	40	m	42.5	m
				2500	2500	2120	1900	1720	1560	1420	1300	kg	1000	kg
	9600 kg		35 m	2	27.5	30	32.5	35	m					
				2500	2500	2070	1870	1700	kg					
	9600 kg		30 m	2	29	30	m							
				2500	2500	2300	kg							
	8400 kg		25 m	2	25	m								
				2500	2500	kg								
	7200 kg		20 m	2	20	m								
				2500	2500	kg								
	4800 kg		15 m	2	15	m								
				2500	2500	kg								















Pmax 3000 kg

	9600 kg		40/42.5 m	2	22	22.5	25	27.5	30	32.5	35	37.5	40	m	42.5	m
				2500	3000	2700	2380	2120	1900	1720	1560	1420	1300	kg	1000	kg
	9600 kg		35 m	2	23.5	25	27.5	30	32.5	35	m					
				2500	3000	2580	2300	2070	1870	1700	kg					
	9600 kg		30 m	2	25.5	27.5	30	m								
				2500	3000	2550	2300	kg								
	8400 kg		25 m	2	25	m										
				2500	3000	kg										
	7200 kg		20 m	2	20	m										
				2500	3000	kg										
	4800 kg		15 m	2	15	m										
				2500	3000	kg										



Pmax 4000/2000 kg

	9600 kg		40/42.5 m	2	17.5	20	22.5	25	27.5	30	32.5	35	37.5	40	m	42.5	m
				2500	4000	3100	2700	2380	2120	1900	1720	1560	1420	1300	kg	1000	kg
	9600 kg		35 m	2	18.5	20	22.5	25	27.5	30	32.5	35	m				
				2500	4000	3350	2920	2580	2300	2070	1870	1700	kg				
	9600 kg		30 m	2	20	22.5	25	27.5	30	m							
				2500	4000	3230	2860	2550	2300	kg							
	8400 kg		25 m	2	20.5	22.5	25	m									
				2500	4000	3390	3000	kg									
	7200 kg		20 m	2	20	m											
				2500	4000	kg											
	4800 kg		15 m	2	15	m											
				2500	4000	kg											






Montaggio - Montage - Erection - Montage - Montaje - Montagem

X (m)	kg
3,2x3,2	2300kg
3,8x3,8	4500kg
4,5x4,5	3800kg

S1210	
(m)	(kg)
3	610
6	1500
12	2500

S1700	
(m)	(kg)
3,9	1600
5,2	2100
11,7	4200



Meccanismi – Mechanisms – Mécanismes – Antriebe – Mecanismos

Sollevamento S15.40 e V15.40 Hoisting Levage Heben Elevaciòn Elevação			1a	4 m/min	2500 kg	11 kW	S15.40	
2a			20 m/min	2500 kg	V15.40			
			3a	40 m/min	1200 kg		20 kVA	
Sollevamento S20.60 e V20.60 Hoisting Levage Heben Elevaciòn Elevação			1a	7 m/min	2500 kg	14.7 kW	S20.60	
			2a	28 m/min	2500 kg		28 kVA	
			3a	56 m/min	1200 kg		V20.60	
Sollevamento S20.40 e V20.40 Hoisting Levage Heben Elevaciòn Elevação			1a	4 m/min	3000 kg	14.7 kW	S20.40	
			2a	20 m/min	3000 kg		28 kVA	
			3a	40 m/min	1500 kg		V20.40	
Sollevamento S25.60 e V25.60 Hoisting Levage Heben Elevaciòn Elevação			1a	7 m/min	3000 kg	18.5 kW	S25.60	
			2a	28 m/min	3000 kg		34 kVA	
			3a	56 m/min	1500 kg		V25.60	
Sollevamento S15.40 e V15.40 Hoisting Levage Heben Elevaciòn Elevação			1a	4 m/min	2000 kg	11 kW	S15.40	
			2a	20 m/min	2000 kg			22 kVA
			3a	40 m/min	1200 kg			
			1a	2 m/min	4000 kg		V15.40	
			2a	10 m/min	4000 kg			20 kVA
			3a	20 m/min	2400 kg			
Sollevamento S20.60 e V20.60 Hoisting Levage Heben Elevaciòn Elevação			1a	7 m/min	2000 kg	14.7 kW	S20.60	
			2a	28 m/min	2000 kg			28 kVA
			3a	56 m/min	1200 kg			
			1a	3.5 m/min	4000 kg		V20.60	
			2a	14 m/min	4000 kg			24 kVA
			3a	28 m/min	2400 kg			
Carrello Trolleying Distribution Katzfahren Distribuciòn Distribuição			1a	5 m/min	4000 kg	2.2 kW	Potenza elettrica necessaria Puissance électrique nécessaire Necessary electric power Anschlusswert – Potencia	
			2a	25 m/min	4000 kg			
			3a	50 m/min	2000 kg			
Rotazione Slewing Orientation Schwenken Orientaciòn Rotação			1a	0 → 0.2	giri/min tr/min rp/min	2.2 kW @ 1200rpm		
			2a	0 → 0.6				
			3a	0 → 0.9				
Traslazione Travelling Translation Kranfahren Traslaciòn Translação			1a	0 → 10	m/min	3.7 kW		
			2a	0 → 20				

Rete elettrica – Réseau – Mains supply – Netzstrom – Red – Rede electrica 400V – 50 Hz

**AFM Gru** FMgru s.r.l.  
via Emilia 11-29010 Pontenure PC ITALY  
tel. 0523/510446 ric.aut. fax 0523/510365  
www.fmgru.com e-mail: info@fmgru.com

FEM 1.001  
2000/14/CE



Documento commerciale non contrattuale  
Per tutte le informazioni tecniche riferirsi  
alle corrispondenti istruzioni

Unverbindliches Vertriebsdokument.  
Für technische Informationen, siehe die  
entsprechenden Anweisungen.

This commercial document is not legally  
binding. For any technical information, please  
refer to the corresponding instructions.

Documento comercial no contractual  
Para cualquier información técnica,  
ver la noticia correspondiente.

Code: 15ICA372DA0  
Ed. Data Rev. Data  
1 15.04.04 1 12.04.05